INDEX OF AUTHORS AND PAPERS

Aukrust, T. and Hauge, E.H., Van der Waals theory of wetting with exponential interactions **141A** (1987) 427

Bedeaux, D., see Wind, M.M. **141A** (1987) 33
Berman, G.P. and Kolovsky, A.R., A quantum nonlinear resonance with account of relaxation processes **141A** (1987) 602
Blöte, H.W.J., Compagner, A. and Hoogland, A., The simple quadratic Ising model with crossing bonds **141A** (1987) 375
Bobbert, P.A., Wind, M.M. and Vlieger, J., Diffusion to a slowly growing truncated sphere on a substrate **141A** (1987) 58
Brouwer, H.H. and Schram, P.P.J.M., Electrical conductivity of a fully ionized plasma at low frequencies **141A** (1987) 589
Bruno, E., Marini Bettolo Marconi, U. and Evans, R., Phase transitions in a confined lattice gas: prewetting and capillary condensation **141A** (1987) 187

Cichocki, B. and Hess, W., On the memory function for the dynamic structure factor of interacting Brownian particles **141A** (1987) 475
Compagner, A., see Blöte, H.W.J. **141A** (1987) 375
Coveney, P.V. and George, Cl., On the time-dependent formulation of analytical continuation in non-equilibrium statistical mechanics **141A** (1987) 403

Davies, I.M. and Truman, A., The charged boson gas in an homogeneous magnetic field **141A** (1987) 613
Dekker, H., Dynamics of the dissipative two-state system: the noninteracting-blip approximation **141A** (1987) 570
Di Liberto, F., see Peruggi, F. **141A** (1987) 151
Díaz-Guilera, A., see Rubí, J.M. **141A** (1987) 220
Dietz, K. and Millack, Th., High-temperature expansions in continuum quantum field theory **141A** (1987) 125

Eckhardt, W., On the consistent description of quantum relaxation processes: the harmonic oscillator **141A** (1987) 81
Evans, R., see Bruno, E. **141A** (1987) 187

Fowler, R.F., see Powles, J.G. **141A** (1987) 318

George, Cl., see Coveney, P.V. **141A** (1987) 403
Glaus, U., The spin-1 Heisenberg chain with uniaxial anisotropy and its classical counterpart **141A** (1987) 295
Govers, E. and Vertogen, G., On the fluctuation theory of De Gennes for nematics **141A** (1987) 625

Hauge, E.H., see Aukrust, T. **141A** (1987) 427
Hess, W., see Cichocki, B. **141A** (1987) 475

Hoogland, A., see Blöte, H.W.J. **141A** (1987) 375

Ignatiev, A., see Kornblit, L. **141A** (1987) 466

Katsura, S., The continuous distribution function of the effective fields of the Ising spin glass of the $\pm J$ model **141A** (1987) 556
Khriplovich, I.B. and Sokolov, V.V., On the relaxation of an N-level system under Gauss noise **141A** (1987) 73
Kolovsky, A.R., see Berman, G.P. **141A** (1987) 602
Kornblit, L. and Ignatiev, A., The surface free energy of crystalline solids **141A** (1987) 466

Levine, R.D. and Wulfman, C.E., On the group-theoretical formulation for the time evolution of stochastic processes **141A** (1987) 489

Marini Bettolo Marconi, U., see Bruno, E. **141A** (1987) 187
Mavroyannis, C., Cooperative and dipole–dipole effects in the fluorescent spectra of two identical three-level atoms at high photon densities. I. Stimulated one-photon spectra **141A** (1987) 249
Mavroyannis, C., Cooperative and dipole–dipole effects in the fluorescent spectra of two identical three-level atoms at high photon densities. II. Stimulated three-photon processes **141A** (1987) 277
May, V., Nonequilibrium Green's functions and kinetic equations for highly excited semiconductors. III. Partial coherence of excitons and biexcitons **141A** (1987) 539
Millack, Th., see Dietz, K. **141A** (1987) 125
Modinos, A., Scattering of electromagnetic waves by a plane of spheres-formalism **141A** (1987) 575
Monroy, G., see Peruggi, F. **141A** (1987) 151
Morita, T., Approximations for a frustrated Ising model **141A** (1987) 335
Mustafa, M., Ross, M., Trengove, R.D., Wakeham, W.A. and Zalaf, M., Absolute measurement of the thermal conductivity of helium and hydrogen **141A** (1987) 233

Nassar, A.B., Feynman propagator and space–time transformation technique **141A** (1987) 24

Peruggi, F., First-order transitions in percolation models **141A** (1987) 140
Peruggi, F., Di Liberto, F. and Monroy, G., Phase diagrams of the q-state Potts model on Bethe lattices **141A** (1987) 151
Powles, J.G. and Fowler, R.F., Fractal properties of model trajectories with exponential velocity autocorrelation functions **141A** (1987) 318

Ross, M., see Mustafa, M. **141A** (1987) 233
Rubi, J.M., Diaz-Guilera, A. and Torner, Ll., Spatial correlations for temperature fluctuations from surface noise **141A** (1987) 220

Schaink, H.M. and Wegdam, G.H., Light scattering studies of disparate mass gas mixtures: helium–xenon **141A** (1987) 211
Schoolderman, A.J., see Suttorp, L.G. **141A** (1987) 1
Schouten, J.A., see Van den Bergh, L.C. **141A** (1987) 524
Schram, P.P.J.M., see Brouwer, H.H. **141A** (1987) 589
Sokolov, V.V., see Khriplovich, I.B. **141A** (1987) 73
Suttorp, L.G. and Schoolderman, A.J., Collective modes and generalized transport coefficients for a dense one-component plasma in a magnetic field **141A** (1987) 1

Takahashi, Y., Some identities in isoperimetric problems in statistical mechanics and quantum mechanics **141A** (1987) 563
Torner, Ll., see Rubí, J.M. **141A** (1987) 220
Trappeniers, N.J., see Van den Bergh, L.C. **141A** (1987) 524
Trengove, R.D., see Mustafa, M. **141A** (1987) 233
Truman, A., see Davies, I.M. **141A** (1987) 613

Van den Bergh, L.C., Schouten, J.A. and Trappeniers, N.J., Fluid–fluid, fluid–solid and three-phase equilibria in the system helium–hydrogen at pressures up to 75 kbar **141A** (1987) 524
Vertogen, G., see Govers, E. **141A** (1987) 625
Vieillefosse, P., Sum rules and perfect screening conditions for the 2d one-component plasma **141A** (1987) 111
Vlieger, J., see Wind, M.M. **141A** (1987) 33
Vlieger, J., see Bobbert, P.A. **141A** (1987) 58

Wakeham, W.A., see Mustafa, M. **141A** (1987) 233
Wegdam, G.H., see Schaink, H.M. **141A** (1987) 211
Wille, L.T., Joint distribution function for position and rotation angle in plane random walks **141A** (1987) 509
Wind, M.M., Vlieger, J. and Bedeaux, D., The polarizability of a truncated sphere on a substrate I **141A** (1987) 33
Wind, M.M., see Bobbert, P.A. **141A** (1987) 58
Wulfman, C.E., see Levine, R.D. **141A** (1987) 489

Yukalov, V.I., Procedure of quasi-averaging for heterophase mixtures **141A** (1987) 352

Zalaf, M., see Mustafa, M. **141A** (1987) 233

ANALYTIC SUBJECT INDEX

Absorbing parallel walls (see *Lattice gas, confined*) **141A** (1987) 187
Analytical continuation (see *Non-equilibrium statistical mechanics*) **141A** (1987) 403

BBGKY hierarchy (see *Plasma, one-component*) **141A** (1987) 111
Bethe lattice (see *Potts model, q-state*) **141A** (1987) 151
Boson gas, charged
– The charged boson gas in an homogeneous magnetic field - Davies and Truman **141A** (1987) 613
Brownian particles
– On the memory function for the dynamic structure factor of interacting— - Cichocki and Hess **141A** (1987) 475

Capillary condensation
– Phase transitions in a confined lattice gas: prewetting and— - Bruno et al. **141A** (1987) 187
Cluster variation method (see *Ising model, frustrated*) **141A** (1987) 335
Collective modes
– —and generalized transport coefficients for a dense one-component plasma in a magnetic field - Suttorp and Schoolderman **141A** (1987) 1
Collision operator (see *Plasma, fully ionized*) **141A** (1987) 589
Cooperative effects (see *Three-level atoms*) **141A** (1987) 249
Cooperative effects (see *Three-level atoms*) **141A** (1987) 277
Critical behaviour (see *Spin-1 Heisenberg chain*) **141A** (1987) 295
Crystalline solids
– The surface free energy of— - Kornblit and Ignatiev **141A** (1987) 466

Density of states (see *Quantum field theory*) **141A** (1987) 125
Diamond anvil cell (see *Helium–hydrogen system*) **141A** (1987) 524
Diffusion to a truncated sphere
– Diffusion to a slowly growing truncated sphere on a substrate - Bobbert et al. **141A** (1987) 58
Dipole–dipole effects (see *Three-level atoms*) **141A** (1987) 249
Dipole–dipole effects (see *Three-level atoms*) **141A** (1987) 277
Dislocation glide (see *Surface free energy*) **141A** (1987) 466
Dissipative processes
– On the group-theoretical formulation for the time evolution of stochastic processes - Levine and Wulfman **141A** (1987) 489
Dissipative two-state system
– Dynamics of the—: the noninteracting-blip approximation - Dekker **141A** (1987) 570
Distribution function (see *Spin glass*) **141A** (1987) 556
Droplet theory (see *Percolation model*) **141A** (1987) 140
Dynamic structure factor (see *Brownian particles*) **141A** (1987) 475

Effective-field approximation (see *Ising model, frustrated*) **141A** (1987) 335
Electric dipole moment (see *Diffusion to a truncated sphere*) **141A** (1987) 58

Electrical conductivity
– —of a fully ionized plasma at low frequencies - Brouwer and Schram **141A** (1987) 589
Excitonic systems
– Nonequilibrium Green's functions and kinetic equations for highly excited semiconductors. II. Partical coherence of excitons and biexcitons - May **141A** (1987) 539

Ferromagnetic critical line
– The simple quadratic Ising model with crossing bonds - Blöte et al. **141A** (1987) 375
Feynman propagator
– —and space–time transformation technique - Nassar **141A** (1987) 24
Feynman theorem (see *Isoperimetric problems*) **141A** (1987) 563
First-order transitions
– —in percolation models - Peruggi **141A** (1987) 140
Fluctuation theory of De Gennes
– On the—for nematics - Govers and Vertogen **141A** (1987) 625
Fluid–fluid equilibrium (see *Helium–hydrogen system*) **141A** (1987) 524
Fluid–solid equilibrium (see *Helium–hydrogen system*) **141A** (1987) 524
Fluorescent spectra (see *Three-level atoms*) **141A** (1987) 249
Fluorescent spectra (see *Three-level atoms*) **141A** (1987) 277
Fokker–Planck equation (see *Memory function*) **141A** (1987) 475
Fractal properties
– —of model trajectories with exponential velocity autocorrelation functions - Powles and Fowler **141A** (1987) 318

Gas mixtures
– Light scattering studies of disparate mass—: helium–xenon - Schaink and Wegdam **141A** (1987) 211
Gas–liquid system (see *Wetting*) **141A** (1987) 427
Gauss noise
– On the relaxation of an *N*-level system under— - Khriplovich and Sokolov **141A** (1987) 73
Gibbs ensembles (see *Heterophase mixtures*) **141A** (1987) 352
Green–Kubo relations (see *Transport coefficients*) **141A** (1987) 1
Green's function, nonequilibrium
– Nonequilibrium Green's functions and kinetic equations for highly excited semiconductors. III. Partial coherence of excitons and biexcitons - May **141A** (1987) 539

Harmonic oscillator (see *Feynman propagator*) **141A** (1987) 24
Harmonic oscillator system
– On the consistent description of quantum relaxation processes: the harmonic oscillator - Eckhardt **141A** (1987) 81
Heat bath (see *Harmonic oscillator system*) **141A** (1987) 81
Helium (see *Thermal conductivity*) **141A** (1987) 233
Helium–hydrogen system
– Fluid–fluid, fluid–solid and three-phase equilibria in the system helium–hydrogen at pressures up to 75 kbar - van den Bergh et al. **141A** (1987) 524
Helium–xenon
– Light scattering studies of disparate mass gas mixtures:— - Schaink and Wegdam **141A** (1987) 211
Heterophase mixtures
– Procedure of quasi-averaging for— - Yukalov **141A** (1987) 352
High-temperature expansions
– —in continuum quantum field theory - Dietz and Millack **141A** (1987) 125

Hydrogen (see *Thermal conductivity*) **141A** (1987) 233

Ising model, frustrated
– Approximations for a frustrated Ising model - Morita **141A** (1987) 335
Ising model, simple quadratic
– The simple quadratic Ising model with crossing bonds - Blöte et al. **141A** (1987) 375
Ising model: ± J model
– The continuous distribution function of the effective fields of the Ising spin glass of the ± *J* model - Katsura **141A** (1987) 556
Isoperimetric problems
– Some identities in—in statistical mechanics and quantum mechanics - Takahashi **141A** (1987) 563

Kinetic equations
– Nonequilibrium Green's functions and—for highly excited semiconductors. III. Partial coherence of excitons and biexcitons - May **141A** (1987) 539
Kinetic theory (see *Plasma, fully ionized*) **141A** (1987) 589

Lagrange multipliers (see *Isoperimetric problems*) **141A** (1987) 563
Langevin model (see *Trajectories*) **141A** (1987) 318
Lattice gas, confined
– Phase transitions in a confined lattice gas: prewetting and capillary condensation - Bruno et al. **141A** (1987) 187
Light scattering
– —studies of disparate mass gas mixtures: helium–xenon - Schaink and Wegdam **141A** (1987) 211
– Scattering of electromagnetic waves by a plane of spheres-formalism - Modinos **141A** (1987) 575
Liouville–von Neumann equation
– On the time-dependent formulation of analytical continuation in non-equilibrium statistical mechanics - Coveney and George **141A** (1987) 403

Magnetic field, homogeneous (see *Boson gas, charged*) **141A** (1987) 613
Meissner–Ochsenfeld effect
– The charged boson gas in an homogeneous magnetic field - Davies and Truman **141A** (1987) 613
Memory function
– On the—for the dynamic structure factor of interacting Brownian particles - Cichocki and Hess **141A** (1987) 475
Monte Carlo technique (see *Ferromagnetic critical line*) **141A** (1987) 375

N-level system
– On the relaxation of an—under Gauss noise - Khriplovich and Sokolov **141A** (1987) 73
Nematic–isotropic transition (see *Fluctuation theory of De Gennes*) **141A** (1987) 625
Nematics (see *Fluctuation theory of De Gennes*) **141A** (1987) 625
Non-equilibrium statistical mechanics
– On the time-dependent formulation of analytical continuation in— - Coveney and George **141A** (1987) 403
Noninteracting-blip approximation
– Dynamics of the dissipative two-state system: the— - Dekker **141A** (1987) 570

One-photon spectra (see *Three-level atoms*) **141A** (1987) 249

Partial coherence
– Nonequilibrium Green's functions and kinetic equations for highly excited semiconductors. III.—of excitons and biexcitons - May **141A** (1987) 539
Partition function (see *Quantum field theory*) **141A** (1987) 125
Percolation model
– First-order transitions in—s - Peruggi **141A** (1987) 140
Phase diagrams (see *Lattice gas, confined*) **141A** (1987) 187
Phase diagrams (see *Potts model, q-state*) **141A** (1987) 151
Phase transitions, magnetic (see *Ising model, frustrated*) **141A** (1987) 335
Plane of spheres
– Scattering of electromagnetic waves by a—-formalism - Modinos **141A** (1987) 575
Plasma, fully ionized
– Electrical conductivity of a fully ionized plasma at low frequencies - Brouwer and Schram **141A** (1987) 589
Plasma, one-component
– Sum rules and perfect screening conditions for the 2d one-component plasma - Vieillefosse **141A** (1987) 111
Plasma in a magnetic field
– Collective modes and generalized transport coefficients for a dense one-component—- Suttorp and Schoolderman **141A** (1987) 1
Polarizability of a truncated sphere
– The—on a substrate I - Wind et al. **141A** (1987) 33
Potts model, q-state
– Phase diagrams of the q-state Potts model on Bethe lattices - Peruggi et al. **141A** (1987) 151
Potts model (see *Percolation model*) **141A** (1987) 140
Prewetting
– Phase transitions in a confined lattice gas:—and capillary condensation - Bruno et al. **141A** (1987) 187
Probability distribution function (see *Random walks, plane*) **141A** (1987) 509

Quantum field theory
– High-temperature expansions in continuum—- Dietz and Millack **141A** (1987) 125
Quasi-averaging (see *Heterophase mixtures*) **141A** (1987) 352

Radiation–quantum system interaction
– A quantum nonlinear resonance with account of relaxation processes - Berman and Kolovsky **141A** (1987) 602
Random walks, plane
– Joint distribution function for position and rotation angle in plane random walks - Wille **141A** (1987) 509
Random walks (see *Trajectories*) **141A** (1987) 318
Rayleigh–Brillouin spectra (see *Light scattering*) **141A** (1987) 211
Relaxation, quantum (see *Harmonic oscillator system*) **141A** (1987) 81
Relaxation processes
– A quantum nonlinear resonance with account of—- Berman and Kolovsky **141A** (1987) 602
Relaxation (see *N-level system*) **141A** (1987) 73
Renormalization mapping (see *Ferromagnetic critical line*) **141A** (1987) 375
Resonance, quantum nonlinear
– A quantum nonlinear resonance with account of relaxation processes - Berman and Kolovsky **141A** (1987) 602

Rotation angle (see *Random walks, plane*) **141A** (1987) 509
Roughening model (see *Spin-1 Heisenberg chain*) **141A** (1987) 295

Scattering, electromagnetic
– Scattering of electromagnetic waves by a plane of spheres-formalism - Modinos **141A** (1987) 575
Screening (see *Plasma, one-component*) **141A** (1987) 111
Semiconductors, excited
– Nonequilibrium Green's functions and kinetic equations for highly excited semiconductors. III. Partial coherence of excitons and biexcitons - May **141A** (1987) 539
Smoluchowski equation, generalized (see *Memory function*) **141A** (1987) 475
Space–time transformation
– Feynman propagator and—technique - Nassar **141A** (1987) 24
Sphere on a substrate
– The polarizability of a truncated—I - Wind et al. **141A** (1987) 33
– Diffusion to a slowly growing truncated— - Bobbert et al. **141A** (1987) 58
Spin glass
– The continuous distribution function of the effective fields of the Ising—of the $\pm J$ model - Katsura **141A** (1987) 556
Spin-1 Heisenberg chain
– The—with uniaxial anisotropy and its classical counterpart - Glaus **141A** (1987) 295
Stochastic differential equations (see *Harmonic oscillator system*) **141A** (1987) 81
Stochastic processes
– On the group-theoretical formulation for the time evolution of— - Levine and Wulfman **141A** (1987) 489
Strong coupling expansions
– High-temperature expansions in continuum quantum field theory - Dietz and Millack **141A** (1987) 125
Sum rules (see *Plasma, one-component*) **141A** (1987) 111
Surface free energy
– The—of crystalline solids - Kornblit and Ignatiev **141A** (1987) 466
Surface noise
– Spatial correlations for temperature fluctuations from— - Rubí et al. **141A** (1987) 220

Temperature correlation function (see *Surface noise*) **141A** (1987) 220
Temperature fluctuations
– Spatial correlations for—from surface noise - Rubí et al. **141A** (1987) 220
Thermal conductivity
– Absolute measurement of the—of helium and hydrogen - Mustafa et al. **141A** (1987) 233
Three-level atoms
– Cooperative and dipole–dipole effects in the fluorescent spectra of two identical—at high photon densities. I. Stimulated one-photon spectra - Mavroyannis **141A** (1987) 249
– Cooperative and dipole–dipole effects in the fluorescent spectra of two identical—at high photon densities. II. Stimulated three-photon processes - Mavroyannis **141A** (1987) 277
Three-phase equilibrium (see *Helium–hydrogen system*) **141A** (1987) 524
Three-photon processes (see *Three-level atoms*) **141A** (1987) 277
Time-dependent formulation (see *Non-equilibrium statistical mechanics*) **141A** (1987) 403
Time evolution, dissipative
– On the group-theoretical formulation for the time evolution of stochastic processes - Levine and Wulfman **141A** (1987) 489
Trajectories
– Fractal properties of model—with exponential velocity autocorrelation functions -

Powles and Fowler **141A** (1987) 318
Transient hot-wire technique
– Absolute measurement of the thermal conductivity of helium and hydrogen - Mustafa et al. **141A** (1987) 233
Transport coefficients
– Collective modes and generalized—for a dense one-component plasma in a magnetic field - Suttorp and Schoolderman **141A** (1987) 1
Tricritical line (see *Wetting*) **141A** (1987) 427

Uniaxial anisotropy (see *Spin-1 Heisenberg chain*) **141A** (1987) 295

Van der Waals theory (see *Wetting*) **141A** (1987) 427

Wall–fluid interactions (see *Lattice gas, confined*) **141A** (1987) 187
Wetting
– Van der Waals theory of—with exponential interactions - Aukrust and Hauge **141A** (1987) 427